



PROPRIETARY AND CONFIDENTIAL


THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF SIDUS SOLUTIONS INC. ANY REPRODUCTION IN ANY PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF SIDUS SOLUTIONS INC. IS PROHIBITED.

REVISIONS			
REV.	DESCRIPTION	DATE	APPROVED

NOTES: UNLESS OTHERWISE SPECIFIED

1. MATERIAL: 6061-T6 ALUMINUM HOUSING, ACRYLIC WINDOW
 2. WEIGHT IN AIR: 44 lb/20 kg , WEIGHT IN WATER: 20 lb/9 kg
 3. OPERATING DEPTH: 3000 ft/1000 m
 4. OPERATING TEMPERATURE: -5 °C TO 50 °C (23 °F TO 122 °F)
 5. OPERATING VOLTAGE: 15-30 VDC
 6. VIDEO OUTPUT: 1.0 Vpp COMPOSITE
 7. RESOLUTION: 850 TVL
 8. SENSOR: 1/2" 3 CCD INTERLINE TRANSFER
 9. SENSITIVITY: 30lx (F1.4)
 10. MINIMUM ILLUMINATION (1 lux (F1.4, GAIN: HYPER))
 11. S/N RATIO: 63 dB (NTSC)/62 dB (PAL)
 12. GAIN: AGC (0-24 dB), HYPER (30 dB)
 13. LENS: 3.7mm - 48mm (13X ZOOM)
 14. FIELD OF VIEW: 76.1° D X 60.9° H X 48.2° V
 15. MINIMUM OBJECT DISTANCE: 12 in (305 mm)
 16. CONNECTOR TO BE SPECIFIED
- SPECIFICATIONS SUBJECT TO CHANGE



UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES WITH THESE TOLERANCES: DECIMAL ANGLE XX ± .01 ±1.0° XXX ± .005	APPROVALS	DATE	 3CCD Broadcast Camera		
	DRAWN: J. Gardiner	9/24/07			
	CHECKED				
	ENG APPR				
INTERPRET GEOMETRIC TOLERANCING PER: ANSI-Y14.5M	DATE		SIZE	DWG. NO.	REV
MATERIAL See Notes	COMMENTS:		B	444-31201-2	--
FINISH --	CAD GENERATED DRAWING, DO NOT UPDATE MANUALLY		SCALE: 1:4	PART FILE: PRT	SHEET 1 OF 1
DO NOT SCALE DRAWING					